



VALBRUNA

245478

Product Certification Report

SLATER STAINLESS, INC.  
2400 Taylor Street West, P.O. Box 630  
Fort Wayne, Indiana USA 46801  
Phone: 260-434-2892 Fax: 260-434-2905

Report Number: 4409520

Certified on Nov 10, 2008 Page 1 of 1

Order I.D. 0802410 005		Order Date 11/04/08		Commodity Code			
Dim 1 5.2500	Dim 2 .0000	Dim 3 .0000	Heat I.D. 245478	Customer I.D. 002476	Customer Purchase Order 811002069		
Product Shape Rounds			Product Surface HR & Rough Turned			Customer Grade 316/316L	
Length (Inches) 132.000 Min. 156.000 Max.			Bill of Lading # 409001	Weight			

E18339

Ship To

VALBRUNA CANADA LTD.  
8724 HOLGATE CRESCENT  
MILTON, ONTARIO L9T5Z1

Sold To

VALBRUNA CANADA LTD.  
8724 HOLGATE CRESCENT  
MILTON, ONTARIO L9T5Z1

Lifts: 0060

NACE MR0175 ISO 15156 03ed. ASTMA 276-08 ASTMA 479-06a

ASMESA 479 06

CHEMICAL ANALYSIS

C	Mn	P	S	Si	Cr	Ni	Mo	Cu	Co	N
.014	1.76	.033	.029	.57	16.91	10.16	2.06	.63	.09	.07

HB  
176

TENSILE PROPERTIES

TS (PSI)	.2%YS (PSI)	%EL(2")	%RA
85200	40200	58.5	77.7

MACRO ASTM E340/E381

MACRO  
OK  
OK

GRAIN SIZE ASTM E112

GRAIN SIZE  
7

ASTM A 262 PRAC E(A Utilized)

OXALIC  
OK

Heated to 1900F min. and water quenched (heating time & temp appropriate for optimum quality).  
 Chemical testing performed to one or several of the following ASTM methods: E415, E572, E1019, E1085, E1086.  
 No mercury or low melting alloy contamination. No weld repair.  
 Material melted in Italy, manufactured in the United States.  
 Material conforms to listed specifications.  
 Quality system is compliant with ISO 9001:2000. Produced in accordance with EN 10204 3.1B.

Results relate only to the items tested. Certification shall not be reproduced except in full, without written approval of Valbruna Stainless Inc. The recording of false, fictitious, or fraudulent statements on this document may be punished as a felony under federal statutes, including Federal law, Title 18, Chapter 47. Consult material safety data sheet (MSDS) for hazard info. I hereby certify that the reported figures are correct as contained in the records of the corporation.

Manager Laboratory Services

*Dennis Hackett*

Dennis Hackett