



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
 Telefono 0444.968211 - Fax 0444.968836
 Stab.: 36100 BOLZANO (Italia) - Via A. Volta 4/37
 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1
 Nach/According to/Selon

Certificato nr. MEST249606 / 2018 /
 Prüfung/Trial/Essai

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
 8724 HOLLGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: Forged - Annealed FORGED
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/Item/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 802006670 Replacement sto
 Bestell
 Your order
 Commande

Tipo di Elaborazione: E+AOD
 Erschmelzungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Signes de l'usine productrice



Conferma ordine nr: EI18002298
 Werk/Auftr. Order/Ref. nr.

Qualità: 316/316L
 Werkstoff/Grade/Usance

Punzone del Collaudatore:
 Stempel des Werkstoffverständigen
 Inspector's stamp/Pointeur de l'essayeur

MR

Avviso di Spedizione: D-VI18014535
 Lieferanweisung/Packing instr./B.L.

Marca: APM L
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marqueage

SPECIFICHE :

Anforderungen / Requirements / Exigences

Nota:

Auszeichnungen / Notes / Notes

- VSI 0 316/316L A
- ANSI 316/316L
- AMS 5648 M S31600 A
- AMS 5653 H S31603 A
- AMS-QQ-S-763 D 316/316L A
- ASME SA182 2017 S31600/03 A (0)
- ASME SA193 2017 B8M CLASS 1 (1)
- ASME SA276 2017 S31600/03 A (2)
- ASME SA320 2017 B8M CLASS1 (3)
- ASME SA479 2017 S31600/03 A (4)
- ASTM A182 2015 S31600/03 A (5)
- ASTM A193 2016 B8M CLASS 1
- ASTM A262 2015 PRACTICE E
- ASTM A276 2017 S31600/03 A
- ASTM A314 2015 S31600/03
- ASTM A320 2017A B8M CLASS1
- ASTM A370 2017
- ASTM A473 2001 S31600/03 (6)
- ASTM A479 2018 S31600/03 A
- MIL-S-862 B/1 316/316L
- NACE MR0103 2015 S31600/03 A (7)
- NACE MR0175 2015 S31600/03 A (8)
- QQ-S-763 F 316/316L A

- (0)Section II Part A 2017 EDITION For products machined directly from bar refer to ASME SA479.
- (1)Section II Part A 2017 EDITION
- (2)Section II Part A 2017 EDITION
- (3)Section II Part A 2017 EDITION
- (4)Section II Part A 2017 EDITION
- (5)For products machined directly from bar refer also to ASTM A479.
- (6)Chemical analysis only.
- (7)ANSI/NACE MR0103/ISO 17845 November 23, 2015
- (8)ANSI/NACE MR0175/ISO 15155-3, third edition November 23, 2015

Tolleranza: ASTM A484-16 TABLE 3

Tolerance/Allowance/Tolerances

Pos. nr. Pos. nr. Item no. Nr. de poste	Oggetto Gegenstand Product description Description du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces	Peso - LB Gewicht Weight Poids	Lotto nr. Losn. Lot no. Lettre
0070	Round	8,5000	233/ 233	277051	1	3,867	302510710

P.O.#: P119789
 R#: R155648
 ITEM#: 509378
 HEAT#: 277051
 BRANCH#: 875

Vicenza, 18/05/18

VCC008 - MEST249606

(Mod. MCE2) 10/17/2013 15:45:00 (MEST249606) / 02/2014/05/18

Il collaudatore di stabilimento / der Werkstoffverständige / Works Inspector / L'agent d'usine

M. RIZZOTTO *[Signature]*

Pagina - 1 di 3

Scanned 7/25/2019

ANS

Provided by: ENCORE METALS DIVISION OF RMCI



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
 Telefono 0444.968211 - Fax 0444.963836
 Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4/37
 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004) 3.1 / ISO 10474 (2013) 3.1

Certificato nr. MEST249606 / 2018 /
 Prüfung/Feststellung

Cilente / Besteller/Purchaser/Cliant
VALBRUNA CANADA LTD
 8724 HOLTGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: Forged - Annealed FORGED
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 802006870 Replacement stc
 Bestell
 Your order
 Commande

Tipo di Elaborazione: E+AOD
 Erhitzungsart
 Heating process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Signes de l'usine productrice



Conferma ordine nr: E118002298
 Works/Our Order/Ref. nr.

Qualità: 316/316L
 Werkstoff/Grade/Nuance

Punzone del Collaudatore:
 Stempel des Werksachverständigen
 Inspector's stamp/Plaque de l'inspecteur

MR

Avviso di Spedizione: D-VI18014535
 Lieferanzug/Packing instr.L.

Marca: APML
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marquage

TEST ALLO STATO DI FORNITURA Test on delivery condition Prüfung auf lieferbarem produkt Test à l'état de fourniture Prueba sobre el material así como entregado

TEST	Prova/Prüfung Specimen/Ersuchen Leg. diam. Spess. Stärke Diam. Dicke Width Diam. Thickness Leg. diam. Spess. Stärke	°F	Posiz. Saggio Proben- Lage Position	Snervamento Zugspanne Yield Stress Limite élastique Rp 0,2%	Snervamento Zugspanne Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm	Allungamento Bruchdehnung Elongation Allongement		Strizione Einschränkung Reduction of area Striction	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB
							E 4d	RA			
Valori richiesti Anforderungen/Required values Valeurs d'imposition		min max		30	-	75 115	-	40	-	50	140 223
A	12,5	68 L		39		63		58		73	165

TEST ALLO STATO DI FORNITURA Test on delivery condition / Prüfung auf lieferbarem produkt / Test à l'état de fourniture / Prueba sobre el material así como entregado		
TEST	min	max
A Grain size for ASTM E112		4

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung / Chemical Analysis / Analyse chimique												
Colata / Heat	min	max	1,25	16,00	2,00	10,00	0,020	0,020	0,100			
Schmelze/Castile	0,030	1,00	2,00	18,00	3,00	14,00	0,040	0,030	0,100			
	C %	Si %	Mn %	C %	Mo %	Cu %	Ni %	Co %	P %	S %	N %	
277051	0,012	0,27	1,75	16,87	2,08	0,48	0,02	0,124	0,032	0,023	0,076	

Corrosion test in 16% sulfuric acid and copper sulfate solutions
 Test standard: ASTM A262-Practice E

Test	Heat treatment before test	Length of Period (h)	Test temp (°C)	Bend Angle (°)	Ø spindle (mm)	Result of visual inspection at 20 x magnification after bend test	Result
Intergranular corrosion	Sensitization	15	boil	180	5	Absence of cracks	SATISFACTORY

Produced without class I-II Ozone depleting substances.
 Solution heat treated free from continuous carbide network.
 Micro and macro etch test: OK
 Reduction ratio = 7,6 : 1
 Annealing temperature : 1940° F for 4 h/water.
 Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
 Die gestellten Anforderungen sind i. Anlage erfüllt
 The material has been furnished in accordance with the requirements
 Le matériel a été trouvé conforme aux exigences

Controllo antimiscelanza: OK
 Verwechslungsprüfung: spektralanalytisch durchgeführt
 Antimixing testing performed: OK
 Contrôle antimélange fait: S.A.S.

Controllo visivo e dimensionale: soddisfa le esigenze
 Basisprüfung und Ausmessung: ohne Beanstandung
 Visual inspection and dimensional checks: satisfactory
 Contrôle visuel et dimensionnel: satisfaisant

Vicenza, 18/05/18
 VCC008 - MEST249606
 (Mod. MCE2)

Il collaudatore di stabilimento / der Werksachverständige / Works Inspector / L'agent d'usine

M. RIZZOTTO *M. Rizzotto*

Pagina - 2 di 3



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
 Telefono 0444.968211 - Fax 0444.968336
 Stab.: 38105 BOLZANO (Italia) - Via A. Volta, 4/37
 Telefono 0471.924111 - Fax 0471.924497


CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificato nr. MEST249606 / 2018 /

Nach/According to/Selon

Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client VALBRUNA CANADA LTD 8724 HOLLGATE CRESCENT L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA	Stato di fornitura: Forged - Annealed FORGED Lieferzustand Delivery state Etat de livraison	Produttore: Hersteller/Werk/Usine prod.critica ACCIAIERIE VALBRUNA S.P.A.
Ordine nr: 802006870 Replacement sto Bestell Your order Commande	Tipo di Elaborazione E+AOD Erhmelzungsart Melting process Mode d'elaboration	Marchi di Fabbrica: Zeichen des Lieferwerkes Trade marks Signes de l'usine productrice 
Conferma ordine nr: EI18002298 Works/Our Order/Ref. nr.	Qualità: 316/316L Werkstoff/Grade/Nuance	Punzone del Collaudatore: MR Stempel des Werksachverständigen Inspector's stamp/Poinçon de l'essayeur
Avviso di Spedizione: D-VI18014535 Lieferanzeige/Packing list/V.B.L.	Marca: APML Markenbezeichnung Brand / Nuance	Punzonatura: 316/316L Kennzeichnung Marking Marque

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 and 2014/68/EU by TÜEV and LLOYD'S
 Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Provided by: ENCORE METALS DIVISION OF RMCL

Vicenza, 18/05/18

VCC008 - MEST249606

(Mod. MCE2) WSP/EN 10204-3.1/ISO 10474-3.1/EN 10204-3.1

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine

M. RIZZOTTO 

Pagina - 3 di 3