



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
 Telefono 0444.968211 - Fax 0444.963836
 Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4/37
 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificato nr. MEST249606 / 2018 /
 Prüfung/TossuEssai

Cliente / Besteller/Purchaser/Client
 VALBRUNA CANADA LTD
 8724 HOLTGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: Forged - Annealed FORGED
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/Werk/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 802006870 Replacement sto
 Bestell
 Your order
 Commande

Tipo di Elaborazione: E+AOD
 Erschmelzungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Sigles de l'usine productrice



Conferma ordine nr: EI18002298
 Works/Our Order/Ref. nr.

Qualità: 316/316L
 Werkstoff/Grade/Nuance

Punzone del Collaudatore:
 Stempel des Werkssachverständigen
 Inspector's stamp/Pointon de l'essayeur

MR

Avviso di Spedizione: D-VI18014535
 Lieferanzeige/Packing list/B.L.

Marca: APML
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marquage

SPECIFICHE :

Anforderungen / Requirements / Exigences

Nota:

Anzeichnungen / Notes / Notes

VSI 0 316/316L A
 AISI 316/316L
 AMS 5648 M S31600 A
 AMS 5653 H S31603 A
 AMS-QQ-S-763 D 316/316L A
 ASME SA182 2017 S31600/03 A (0)
 ASME SA193 2017 B8M CLASS 1 (1)
 ASME SA276 2017 S31600/03 A (2)
 ASME SA320 2017 B8M CLASS1 (3)
 ASME SA479 2017 S31600/03 A (4)
 ASTM A182 2016 S31600/03 A (5)
 ASTM A193 2016 B8M CLASS 1
 ASTM A262 2015 PRACTICE E
 ASTM A276 2017 S31600/03 A
 ASTM A314 2015 S31600/03
 ASTM A320 2017A B8M CLASS1
 ASTM A370 2017
 ASTM A473 2001 S31600/03 (6)
 ASTM A479 2018 S31600/03 A
 MIL-S-862 B/1 316/316L
 NACE MR0103 2015 S31600/03 A (7)
 NACE MR0175 2015 S31600/03 A (8)
 QQ-S-763 F 316/316L A

(0)Section II Part A 2017 EDITION For products machined directly from bar refer to ASME SA479.

(1)Section II Part A 2017 EDITION

(2)Section II Part A 2017 EDITION

(3)Section II Part A 2017 EDITION

(4)Section II Part A 2017 EDITION

(5)For products machined directly from bar refer also to ASTM A479.

(6)Chemical analysis only.

(7)ANSI/NACE MR0103/ISO 17945 November 23, 2015

(8)ANSI/NACE MR0175/ISO 15156-3, third edition November 23, 2015

Tolleranza: ASTM A484-18 TABLE 3

Tolleranza/Allowance/Tolérance

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Description du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Gouße	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot Nr. Lot n.
0070	Round	8,5000	233/ 233	277051	1	3.867	802510710

P.O.#: P119789
 R#: R155648
 ITEM#: 509378
 HEAT#: 277051
 BRANCH#: 875

Vicenza, 18/05/18

VCC008 - MEST249606

(Mod. MCE2) VCC/2002/07/04/PC/02/08/06/07/01/2013/03

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine

M. RIZZOTTO *M. Rizzotto*

Pagina - 1 di 3

Scanned 7/25/2019 AWS



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
 Telefono 0444.968211 - Fax 0444.963836
 Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4/37
 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificato nr. MEST249606 / 2018 /
 Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
 8724 HOLTGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: Forged - Annealed FORGED
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/Werk/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 802006870 Replacement sto
 Bestell
 Your order
 Commande

Tipo di Elaborazione: E+AOD
 Erhmelungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Sigles de l'usine productrice



Conferma ordine nr: E118002298
 Works/Our Order/Ref. nr.

Qualità: 316/316L
 Werkstoff/Grade/Nuance

Punzone del Collaudatore:
 Stempel des Werkssachverständigen
 Inspector's stamp/Pointon de l'essayeur

MR

Avviso di Spedizione: D-VI18014535
 Lieferanweisung/Packing list/V.L.

Marca: APML
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marquage

TEST ALLO STATO DI FORNITURA

Test on delivery condition Prüfung auf lieferbarem produkt test a l'etat de fourniture Prueba sobre el material asi como entregado

TEST	Provenza / Provenance Spezifikon / Specificity Lung. diam. Spalla Bridle Diam. Dicks Welds Diam. Thickness Lung. diam. epais	°F	Posiz. Saggio Position Location Endreueum	Snervamento Streckgrenze Yield Stress Limite elastique Rp 0,2%	Snervamento Streckgrenze Yield Stress Limite elastique	Resistenza Zugfestigkeit Tensile strength Resistance a traction Rm	Allungamento Bruchdehnung Elongation Allongement		Strizione Einstrichung Reduction of area Striction	Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Durete HB
							E 4d	%			
	Valori richiesti Anforderungen/Required values Valeurs demandees	min		30	-	75	-	40	-	50	140
	max					115					223
A	12,5	68	L	39		83		58		73	165

TEST ALLO STATO DI FORNITURA

Test on delivery condition / Prüfung auf lieferbarem produkt / Test a l'etat de fourniture / Prueba sobre el material asi como entregado

TEST	min	max
A Grain size for ASTM E112		4

Mechanical properties according to ASTM A370.

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata /Heat Schmelze/Coulée	min - max	1,25 2,00	16,50 18,00	2,00 3,00	10,00 14,00	0,040 0,030	0,020 0,100				
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %
277051	0,012	0,27	1,75	16,87	2,08	0,48	10,02	0,124	0,032	0,023	0,076

Corrosion test in 16% sulfuric acid and copper sulfate solutions

Test standard: ASTM A262-Practice E

Test	Heat treatment before test	Length of Period (h)	Test temp (°C)	Bend Angle (°)	Ø spindle (mm)	Result of visual inspection at 20 x magnification after bend test	Result
Intergranular corrosion	Sensitization	15	boil	180	5	Absence of cracks	SATISFACTORY

Produced without class I-II Ozone depleting substances.
 Solution heat treated free from continuous carbide network.
 Micro and macro etch test : OK
 Reduction ratio = 7,6 : 1
 Annealing temperature : 1940° F for 4 h/water.
 Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
 Die gestellten Anforderungen sind in Anlage erfüllt
 The material has been furnished in accordance with the requirements
 Le matériel a été livré conforme aux exigences

Controllo antimiscelanza: OK
 Verwechslungsprüfung: spektroskopisch durchgeführt
 Antimixing testing performed: OK
 Contrôle antimélange fait: r.s.

Controllo visivo e dimensionale: soddisfa le esigenze
 Beschligung und Ausmessung: ohne Beanstandung
 Visual inspection and dimensional checks satisfactory
 Contrôle visual et dimensions: satisfaisant

Vicenza, 18/05/18

VCC008 - MEST249606

(Mod. MCE2) VCCP1242022 (E1604)/MEST249606/2018/2018

Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine

M. RIZZOTTO

Pagina - 2 di 3



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a : EN 10204 (2004) , 3.1 / ISO 10474 (2013) , 3.1

Certificato nr. MEST249606 / 2018 /
 Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
 VALBRUNA CANADA LTD
 8724 HOLLGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura : Forged - Annealed FORGED
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore :
 Hersteller/Item/L'usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr. 802006870 Replacement sto
 Bestell
 Your order
 Commande

Tipo di Elaborazione: E+AOD
 Erweichungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Signes de l'usine productrice



Conferma ordine nr: EI18002298
 Works/Our Order/Ref nr.

Qualità: 316/316L
 Werkstoff/Grade/Nuance

Punzone del Collaudatore:
 Stempel des Werkssachverständigen
 Inspector's stamp/Poinçon de l'essayeur

MR

Avviso di Spedizione: D-VI18014535
 Lieferanzeige/Packing list/V.B.L.

Marca: APML
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marquage

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLCYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D

The Quality Management System is Certified acc. Pressure Equipment Directive ('97/23/EC') Annex 1, s.,4.3 and 2014/68/EU by TUEV and LLOYD'S
 Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
 Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.
 The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 18/05/18

VCQ008 - MEST249606

(Mod. MCE2) WSPR21-2013 (4-PC) 316/316L (2013) (2013) (2013)

Il collaudatore di stabilimento / der Werkssachverständige / Works inspector / L'agent d'usine

M. RIZZOTTO

Pagina - 3 di 3