

SN 6324001; 02



Acciaierie Valbruna S.p.A.

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
 Telefono 0444.968211 - Fax 0444.963836
 Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4/37
 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: **EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1**

Certificato nr. MEST843879 / 2021 /

Nach/According to/Selon

Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
 8724 HOLLGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: **Forged - Annealed Peeled**
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/Item/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 111009144 Stock - Canada
 Bestell
 Your order
 Commande

Tipo di Elaborazione: **E+AOD**
 Erschmelzungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Sigles de l'usine productrice



Conferma ordine nr: **EI21014846**
 Werks/Our Order/Ref nr.

Qualità: **316/316L**
 Werkstoff/Grade/Nuance

Punzone del Collaudatore:
 Stempel des Werkssachverständigen
 Inspector's stamp/Poinçon de l'assesseur

MR

Avviso di Spedizione: **D-VI21029056**
 Lieferanzeige/Packing list/B.L.

Marca: **APML**
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marquage

SPECIFICHE :

Notes:

Anforderungen / Requirements / Exigences

Aufzeichnungen / Notes / Notes

VSI 0. 316/316L A
 AISI , 316/316L
 AMS 5648 M S31600 A
 AMS 5653 J S31603 A
 AMS-QQ-S-763 D 316/316L A
 ASME SA182 2019 S31600/03 A (0)
 ASME SA193 2019 B8M CLASS 1 (1)
 ASME SA276 2019 S31600/03 A (2)
 ASME SA320 2019 B8M CLASS 1 CLASS1 (3)
 ASME SA479 2019 S31600/03 A (4)
 ASTM A182 2021 S31600/03 A (5)
 ASTM A193 2020 B8M CLASS 1
 ASTM A262 PR. E 2015 316/316L (6)
 ASTM A276 2017 S31600/03 A
 ASTM A314 2019 S31600/03
 ASTM A320 2018 B8M CLASS 1 CLASS1
 ASTM A370 2020 .
 ASTM A473 2021 S31600/03 (7)
ASTM A479 2020 S31600/03 A
 MIL-S-862 B/1 316/316L
 NACE MR0103 2015 S31600/03 A (8)
NACE MR0175 2015 S31600/03 A (9)
 QQ-S-763 F 316/316L A

(0)Section II Part A 2019 EDITION For products machined directly from bar refer to ASME SA479.
 (1)Section II Part A 2019 EDITION
 (2)Section II Part A 2019 EDITION
 (3)Section II Part A 2019 EDITION
 (4)Section II Part A 2019 EDITION
 (5)For products machined directly from bar refer also to ASTM A479.
 (6)Reapproved 2021
 (7)Chemical analysis only.
 (8)ANSI/NACE MR0103/ISO 17945 November 23, 2015
 (9)ANSI/NACE MR0175/ISO 15156-3, third edition November 23,2015

Tolleranza: ASTM A484-20B TABLE 3

Toleranz/Allowance/Tolerance

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descript. du produit	Dimensioni - In Abmessungen Dimension Dimension	Lunghezza - In Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pieces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0020	Round	11,0000	142/ 142	287044		3.920	125614570

Provided by CPA

www.flowconditioner.com,info@cpacl.ca

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D			
Vicenza, 24/11/2021 VCQ052 - MEST843879	Direzione Qualità Qualitätsmanagement/Quality Management/Gestion Qualité R.BERTELLI	Direzione Prodotto Produktmanagement/Product Management/Direction Produit P.MESSORI	Pagina 1 di 3

CPA 6324001
1/3



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificato nr. MEST843879 / 2021 /
 Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
 VALBRUNA CANADA LTD
 8724 HOLTGATE CRESCENT
 L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: Forged - Annealed Peeled
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/Item/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 111009144 Stock - Canada

Bestell
 Your order
 Commande

Tipo di Elaborazione: E+AOD
 Erweichungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Sigies de l'usine productrice



Conferma ordine nr: EI21014846
 Werks/Our Order/Ref nr.

Qualità: 316/316L
 Werkstoff/Grade/Nuance

Punzone del Collaudatore:
 Stempel des Werkssachverständigen
 Inspector's stamp/Poinçon de l'essayeur

MR

Avviso di Spedizione: D-VI21029056
 Lieferschein/Packing list/S.L.

Marca: APML
 Markenbezeichnung
 Brand / Nuance

Punzonatura: 316/316L
 Kennzeichnung
 Marking
 Marquage

TEST ALLO STATO DI FORNITURA												
Test on delivery condition / Prüfung auf lieferbarem produkt / test a l'etat de fourniture / Prueba sobre el material así como entregado												
1) L=longitudinale/längs, T=transversale/quers, Q=Tangenziale/tangential												
TEST	Provetta/ Probe/Specimen/Epruuvaste Larg diam. Approx. Breda Diam. Diale Width Diam. Thickness Larg. diam. epais mm	°F	Posiz. Saggio Position Ergebniswert n	Snervamento Streckgrenze Yield Stress Limite elastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite elastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einschnürung Reduction of area Striction RA %	Resilienza Kerenschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB		
Valori richiesti		min		30	-	75	-	40	-	50	-	140
Anforderungen/Requires values Valeurs demandées		max				115						223
A	12,5	68	L	38		81		64		75		164

TEST ALLO STATO DI FORNITURA			
Test on delivery condition / Prüfung auf lieferbarem produkt / Test a l'etat de fourniture / Prueba sobre el material así como entregado			
TEST	min	max	
A	Grain size for ASTM E112		4

Mechanical properties according to ASTM A370.

Analisi chimica												
Chemische Zusammensetzung/Chemical Analysis/Analyse chimique												
Colata /Heat Schmelze/Coullée	min - max	1,25 2,00	16,50 18,00	2,00 3,00	1,00	10,00 14,00	-	-	0,040	0,020 0,030	0,100	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %	
287044	0,024	0,33	1,76	16,71	2,07	0,63	10,09	0,152	0,029	0,026	0,091	

Corrosion test in 16% sulfuric acid and copper sulfate solutions							
Test standard: ASTM A262-Practice E							
Test	Heat treatment before test	Length of Period (h)	Test temp (°C)	Bend Angle (°)	Ø spindle (mm)	Result of visual inspection at 20 x magnification after bend test	Result
Intergranular corrosion	Sensitization	15	boil	180	5	Absence of cracks	SATISFACTORY

Produced without class I-II Ozone depleting substances.
 Solution heat treated free from continuous carbide network.
 Micro and macro etch test: OK.
 Reduction ratio = 4,6 : 1
 Material annealed 1976°F for 7,5 h /water cooled
 Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste Die gestellten Anforderungen sind erfüllt. The material has been furnished in accordance with the requirements Le matériel a été trouvé conforme aux exigences	Controllo antimiscelanza con tecnica XRF/OES portatile : OK Verwechslungsprüfung: durch XRF/OES Gerät geführt. Antimixing testing performed with XRF/OES portable : OK Contrôle antimélange svr technique XRF/OES portable : OK	Controllo visivo e dimensionale: soddisfa le esigenze Besichtigung und Ausmessung: ohne Beanspruchung Visual inspection and dimensional checks: satisfactory Contrôle visuel et dimensions: satisfaisant
--	--	---

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D			
Vicenza, 24/11/2021 VCC052 - MEST843879	Direzione Qualità Qualitätsmanagement/Quality Management/Gestion Qualité R. BERTELLI	Direzione Prodotto Produktmanagement/Product Management/Direction Produit P. MESSORI	Pagina 2 di 3

C312428
2/3



CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformità a: **EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1**

Certificato nr. **MEST843879 / 2021 /**
 Prüfung/Test/Essai

Cliente / Besteller/Purchaser/Client
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1 - MILTON, ONT L5T 5Z1 - CA

Stato di fornitura: **Forged - Annealed Peeled**
 Lieferzustand
 Delivery state
 Etat de livraison

Produttore:
 Hersteller/firma/Usine productrice

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: **111009144 Stock - Canada**
 Bestell
 Your order
 Commande

Tipo di Elaborazione: **E+AOD**
 Erweichungsart
 Melting process
 Mode d'elaboration

Marchi di Fabbrica:
 Zeichen des Lieferwerkes
 Trade marks
 Styles de fusine productrice



Conferma ordine nr: **EI21014846**
 Works/Our Order/Ref nr.

Qualità: **316/316L**
 Werkstoff/Grade/Qualite

Punzione del Collaudatore:
 Stempel des Werkstoffverständigen
 Inspector's stamp/Plaque de l'assesseur

MR

Avviso di Spedizione: **D-VI21029056**
 Lieferanzeige/Packing list/B.L.

Marca: **APML**
 Markenbezeichnung
 Brand / Marque

Punzonatura: **316/316L**
 Kennzeichnung
 Marking
 Marquege

Melted, poured and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination by the portal system when it leaves the production plant.

The Quality Management System is also Certified according Pressure Equipment Directive 2014/68/EU Annex 1, chap.4.3 by TÜV and LLOYD'S
 Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.
 Maximal and/or Valplus grades/products are manufactured with ladle techniques to control composition, distribution, size and shape of non-metallic inclusions for improved machinability.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

WSP20A5685988778878785683068777

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9001 : 2015, IATF 16949 : 2016, AS 9100D

Vicenza, **24/11/2021**
 VCQ052 - MEST843879

Direzione Qualità
 Qualitätsmanagement/Quality Management/Direction Qualité
R.BERTELLI

Direzione Prodotto
 Produktmanagement/Product Management/Direction Produit
P.MESSORI

Pagina
 3 di 3

C312428
3/3